

## VREDNOSTI PULZNE PALICE NA POSAMEZNIH POZICIJAH

Korak	Vred./pcm	pcm/step
0	0.0	0.0
5	0.1	0.0
10	0.3	0.0
15	0.5	0.1
20	0.9	0.1
25	1.5	0.1
30	2.1	0.1
35	2.9	0.1
40	3.8	0.2
45	4.8	0.2
50	5.9	0.2
55	7.2	0.3
60	8.6	0.3
65	10.2	0.3
70	11.9	0.3
75	13.7	0.4
80	15.7	0.4
85	17.9	0.4
90	20.2	0.5
95	22.7	0.5
100	25.4	0.5
105	28.2	0.6
110	31.2	0.6
115	34.5	0.6
120	37.9	0.7
125	41.6	0.7
130	45.4	0.8
135	49.5	0.8
140	53.8	0.9
145	58.3	0.9
150	63.2	1.0
155	68.2	1.0
160	73.5	1.1
165	79.1	1.1
170	85.0	1.2
175	91.1	1.2
180	97.5	1.3
185	104.2	1.4
190	111.3	1.4
195	118.6	1.5
200	126.3	1.5
205	134.3	1.6
210	142.7	1.7
215	151.3	1.7
220	160.3	1.8
225	169.8	1.9
230	179.6	2.0
235	189.6	2.0
240	200.2	2.1
245	211.1	2.2
250	222.3	2.2
255	234.0	2.3
260	246.1	2.4
265	258.6	2.5
270	271.4	2.6
275	284.8	2.7
280	298.5	2.7
285	312.6	2.8
290	327.1	2.9
295	342.0	3.0

Korak	Vred./pcm	pcm/step
300	357.4	3.1
305	373.2	3.1
310	389.4	3.2
315	406.1	3.3
320	423.1	3.4
325	440.5	3.5
330	458.4	3.6
335	476.7	3.7
340	495.4	3.7
345	514.5	3.8
350	534.1	3.9
355	554.0	4.0
360	574.2	4.0
365	595.3	4.2
370	616.3	4.2
375	637.5	4.2
380	659.4	4.4
385	681.6	4.4
390	704.2	4.5
395	727.1	4.6
400	750.4	4.7
405	774.0	4.7
410	797.9	4.8
415	822.2	4.9
420	846.8	4.9
425	871.6	5.0
430	896.8	5.0
435	922.3	5.1
440	948.0	5.2
445	974.0	5.2
450	1000.2	5.2
455	1026.8	5.3
460	1053.5	5.3
465	1080.5	5.4
470	1107.6	5.4
475	1135.1	5.5
480	1162.6	5.5
485	1190.4	5.5
490	1218.3	5.6
495	1246.4	5.6
500	1274.7	5.6
505	1303.1	5.7
510	1331.6	5.7
515	1360.3	5.7
520	1389.0	5.7
525	1417.9	5.8
530	1446.9	5.8
535	1475.9	5.8
540	1505.0	5.8
545	1534.2	5.8
550	1563.4	5.8
555	1592.6	5.9
560	1621.9	5.9
565	1651.2	5.9
570	1680.5	5.9
575	1709.8	5.9
580	1739.1	5.9
585	1768.4	5.9
590	1797.6	5.8
595	1826.8	5.8

Korak	Vred./pcm	pcm/step
600	1856.0	5.8
605	1885.0	5.8
610	1914.0	5.8
615	1942.9	5.8
620	1971.7	5.8
625	2000.4	5.7
630	2029.0	5.7
635	2057.4	5.7
640	2085.7	5.7
645	2113.8	5.6
650	2141.7	5.6
655	2169.4	5.5
660	2197.0	5.5
665	2224.4	5.5
670	2251.4	5.4
675	2278.3	5.4
680	2304.9	5.3
685	2331.2	5.3
690	2357.2	5.2
695	2382.9	5.1
700	2408.4	5.1
705	2433.4	5.0
710	2458.1	4.9
715	2482.5	4.9
720	2506.6	4.8
725	2530.0	4.7
730	2553.2	4.6
735	2576.0	4.6
740	2598.2	4.4
745	2620.0	4.4
750	2641.4	4.3
755	2662.3	4.2
760	2682.5	4.1
765	2702.3	4.0
770	2721.6	3.9
775	2740.3	3.7
780	2758.3	3.6
785	2775.8	3.5
790	2792.7	3.4
795	2809.0	3.2
800	2824.5	3.1
805	2839.5	3.0
810	2853.9	2.9
815	2867.3	2.7
820	2880.2	2.6
825	2892.6	2.5
830	2904.0	2.3
835	2914.6	2.1
840	2924.5	2.0
845	2933.9	1.9
850	2942.2	1.7
855	2949.8	1.5
860	2956.9	1.4
865	2962.9	1.2
870	2968.1	1.0
875	2972.6	0.9
880	2976.4	0.8
885	2979.1	0.5
890	2981.2	0.4
895	2982.5	0.3
900	2983.0	0.1

Izmeril: Bojan Huzjan, Dare Kavšek

Obdelal: Igor Lengar

VREDNOSTI **VARNOSTNE** PALICE NA POSAMEZNIH POZICIJAH

Korak	Vred./pcm	pcm/step
200	0.0	0.0
205	0.4	0.1
210	1.7	0.2
215	3.7	0.4
220	6.5	0.6
225	10.1	0.7
230	14.6	0.9
235	19.8	1.1
240	25.9	1.2
245	32.7	1.4
250	40.2	1.5
255	48.6	1.7
260	57.8	1.8
265	67.7	2.0
270	78.3	2.1
275	89.7	2.3
280	101.9	2.4
285	114.8	2.6
290	128.5	2.7
295	142.8	2.9
300	157.9	3.0
305	173.7	3.2
310	190.2	3.3
315	207.4	3.4
320	225.3	3.6
325	243.9	3.7
330	263.2	3.9
335	283.2	4.0
340	303.9	4.1
345	325.2	4.3
350	347.3	4.4
355	370.0	4.5
360	393.4	4.7
365	417.6	4.8
370	442.4	5.0
375	467.8	5.1
380	494.0	5.2
385	520.9	5.4
390	548.5	5.5
395	577.0	5.7
400	605.9	5.8
405	635.4	5.9
410	665.8	6.1
415	696.9	6.2
420	728.7	6.4
425	761.1	6.5
430	794.3	6.6

Korak	Vred./pcm	pcm/step
435	828.2	6.8
440	862.7	6.9
445	898.0	7.0
450	933.9	7.2
455	970.4	7.3
460	1007.7	7.5
465	1045.6	7.6
470	1084.2	7.7
475	1123.4	7.8
480	1163.1	7.9
485	1203.5	8.1
490	1244.5	8.2
495	1286.0	8.3
500	1328.1	8.4
505	1370.6	8.5
510	1413.7	8.6
515	1457.3	8.7
520	1501.3	8.8
525	1545.7	8.9
530	1590.5	9.0
535	1635.7	9.0
540	1681.2	9.1
545	1727.0	9.2
550	1773.1	9.2
555	1819.4	9.3
560	1866.0	9.3
565	1912.7	9.3
570	1959.6	9.4
575	2006.6	9.4
580	2053.6	9.4
585	2100.8	9.4
590	2148.0	9.4
595	2195.1	9.4
600	2242.2	9.4
605	2289.3	9.4
610	2336.3	9.4
615	2383.1	9.4
620	2429.8	9.3
625	2476.3	9.3
630	2522.7	9.3
635	2568.8	9.2
640	2614.6	9.2
645	2660.2	9.1
650	2705.5	9.1
655	2750.5	9.0
660	2795.1	8.9
665	2839.3	8.9

Korak	Vred./pcm	pcm/step
670	2883.2	8.7
675	2926.7	8.7
680	2969.8	8.6
685	3012.4	8.5
690	3054.5	8.4
695	3096.2	8.3
700	3137.3	8.2
705	3178.0	8.1
710	3218.0	8.0
715	3257.5	7.9
720	3296.5	7.8
725	3334.8	7.7
730	3372.5	7.5
735	3409.5	7.4
740	3445.8	7.3
745	3481.5	7.1
750	3516.4	7.0
755	3550.5	6.8
760	3583.9	6.7
765	3616.4	6.5
770	3648.1	6.3
775	3679.0	6.2
780	3709.0	6.0
785	3738.0	5.8
790	3766.0	5.6
795	3793.1	5.4
800	3819.3	5.2
805	3844.3	5.0
810	3868.2	4.8
815	3891.1	4.6
820	3912.9	4.4
825	3933.5	4.1
830	3952.9	3.9
835	3971.0	3.6
840	3988.0	3.4
845	4003.8	3.1
850	4018.2	2.9
855	4031.3	2.6
860	4043.1	2.4
865	4053.5	2.1
870	4062.6	1.8
875	4070.4	1.6
880	4076.7	1.3
885	4081.5	1.0
890	4085.1	0.7
895	4087.2	0.4
900	4088.0	0.2

Izmeril: Bojan Huzjan, Dare Kavšek

Obdelal: Igor Lengar


VREDNOSTI **REGULACIJSKE** PALICE NA POSAMEZNIH POZICIJAH


Korak	Vred./pcm	pcm/step
181	0.0	0.0
186	0.3	0.1
191	1.3	0.2
196	2.9	0.3
201	5.1	0.4
206	8.0	0.6
211	11.5	0.7
216	15.6	0.8
221	20.4	1.0
226	25.8	1.1
231	31.8	1.2
236	38.4	1.3
241	45.6	1.4
246	53.5	1.6
251	61.9	1.7
256	70.9	1.8
261	80.5	1.9
266	90.7	2.0
271	101.4	2.1
276	112.8	2.3
281	124.6	2.4
286	137.1	2.5
291	150.1	2.7
296	163.6	2.7
301	177.7	2.8
306	192.3	2.9
311	207.4	3.0
316	223.1	3.1
321	239.3	3.2
326	256.0	3.3
331	273.3	3.4
336	291.0	3.6
341	309.3	3.7
346	328.1	3.8
351	347.4	3.9
356	367.2	3.9
361	387.5	4.1
366	408.3	4.2
371	429.6	4.3
376	451.4	4.4
381	473.7	4.5
386	496.5	4.6
391	519.8	4.7
396	543.6	4.8
401	567.9	4.9
406	592.7	5.0
411	617.9	5.1
416	643.7	5.1

Korak	Vred./pcm	pcm/step
421	669.9	5.2
426	696.5	5.3
431	723.7	5.4
436	751.2	5.6
441	779.3	5.6
446	807.7	5.7
451	836.6	5.8
456	865.9	5.9
461	895.6	5.9
466	925.6	6.0
471	956.1	6.1
476	986.9	6.2
481	1018.0	6.2
486	1049.5	6.3
491	1081.2	6.4
496	1113.3	6.4
501	1145.6	6.5
506	1178.1	6.6
511	1210.9	6.6
516	1243.9	6.6
521	1277.1	6.6
526	1310.4	6.7
531	1343.8	6.7
536	1377.4	6.7
541	1411.1	6.7
546	1444.8	6.7
551	1478.6	6.8
556	1512.3	6.8
561	1546.1	6.8
566	1579.9	6.8
571	1613.6	6.7
576	1647.3	6.7
580	1680.9	6.9
585	1714.4	6.7
590	1747.7	6.7
595	1780.9	6.6
600	1814.0	6.6
605	1846.8	6.6
610	1879.5	6.5
615	1912.0	6.5
620	1944.2	6.4
625	1976.2	6.4
630	2008.0	6.4
635	2039.5	6.3
640	2070.7	6.2
645	2101.6	6.2
650	2132.3	6.3
655	2162.6	6.1

Korak	Vred./pcm	pcm/step
660	2192.6	6.0
665	2222.3	5.9
670	2251.7	5.9
675	2280.7	5.8
680	2309.4	5.7
685	2337.7	5.7
690	2365.6	5.6
695	2393.2	5.5
700	2420.4	5.4
705	2447.2	5.4
710	2473.6	5.3
715	2499.6	5.2
720	2525.1	5.2
725	2550.3	5.0
730	2575.0	4.9
735	2599.2	4.8
740	2623.0	4.8
745	2646.3	4.7
750	2669.1	4.6
755	2691.4	4.5
760	2713.2	4.4
765	2734.4	4.2
770	2755.1	4.1
775	2775.2	4.0
780	2794.8	3.9
785	2813.7	3.8
790	2832.0	3.7
795	2849.7	3.6
800	2866.7	3.4
805	2883.0	3.3
810	2898.6	3.1
815	2913.6	3.0
820	2927.7	2.8
825	2941.2	2.7
830	2953.8	2.5
835	2965.7	2.4
840	2976.8	2.2
845	2987.0	2.0
850	2996.4	1.9
855	3005.0	1.7
860	3012.7	1.5
865	3019.5	1.4
870	3025.4	1.2
875	3030.5	1.0
880	3034.6	0.8
885	3037.8	0.6
890	3040.1	0.5
895	3041.5	0.3
900	3042.0	0.1

Izmeril: Bojan Huzjan, Dare Kavšek


 Obdelal: Igor Lengar



VREDNOSTI **KOMPENZACIJSKE** PALICE NA POSAMEZNIH POZICIJAH

Korak	Vred./pcm	pcm/step
200	0.0	0.0
205	0.4	0.1
210	1.4	0.2
215	3.1	0.3
220	5.5	0.5
225	8.6	0.6
230	12.4	0.8
235	16.8	0.9
240	21.9	1.0
245	27.7	1.2
250	34.2	1.3
255	41.3	1.4
260	49.1	1.6
265	57.6	1.7
270	66.6	1.8
275	76.5	2.0
280	86.9	2.1
285	98.0	2.2
290	109.7	2.3
295	122.1	2.5
300	135.1	2.6
305	148.8	2.7
310	163.0	2.9
315	177.9	3.0
320	193.4	3.1
325	209.6	3.2
330	226.4	3.4
335	243.7	3.5
340	261.7	3.6
345	280.2	3.7
350	299.4	3.8
355	319.2	4.0
360	339.5	4.1
365	360.4	4.2
370	381.9	4.3
375	404.0	4.4
380	426.7	4.5
385	449.9	4.6
390	473.6	4.7
395	497.9	4.9
400	522.8	5.0
405	548.2	5.1
410	574.1	5.2
415	600.6	5.3
420	627.5	5.4
425	655.0	5.5
430	683.1	5.6

Korak	Vred./pcm	pcm/step
435	711.4	5.7
440	740.3	5.8
445	769.7	5.9
450	799.6	6.0
455	829.9	6.1
460	860.6	6.1
465	891.7	6.2
470	923.3	6.3
475	955.2	6.4
480	987.5	6.5
485	1020.2	6.5
490	1053.2	6.6
495	1086.5	6.7
500	1120.1	6.7
505	1154.0	6.8
510	1188.2	6.8
515	1222.6	6.9
520	1257.2	6.9
525	1292.1	7.0
530	1327.1	7.0
535	1362.2	7.0
540	1397.5	7.1
545	1433.0	7.1
550	1468.5	7.1
555	1504.0	7.1
560	1539.6	7.1
565	1575.3	7.1
570	1610.9	7.1
575	1646.5	7.1
580	1682.0	7.1
585	1717.4	7.1
590	1752.8	7.1
595	1788.0	7.0
600	1823.1	7.0
605	1858.0	7.0
610	1892.7	6.9
615	1927.1	6.9
620	1961.4	6.8
625	1995.3	6.8
630	2029.0	6.7
635	2062.4	6.7
640	2095.5	6.6
645	2128.2	6.5
650	2160.5	6.5
655	2192.5	6.4
660	2224.1	6.3
665	2255.2	6.2

Korak	Vred./pcm	pcm/step
670	2285.9	6.0
675	2316.2	6.1
680	2346.0	6.0
685	2375.4	5.9
690	2404.2	5.8
695	2432.5	5.7
700	2460.3	5.6
705	2487.6	5.5
710	2514.4	5.3
715	2540.5	5.2
720	2566.1	5.1
725	2591.2	5.0
730	2615.6	4.9
735	2639.5	4.8
740	2662.7	4.6
745	2685.3	4.5
750	2707.3	4.4
755	2728.7	4.3
760	2749.4	4.1
765	2769.5	4.0
770	2788.9	3.9
775	2807.6	3.8
780	2825.7	3.6
785	2843.1	3.5
790	2859.8	3.3
795	2875.8	3.2
800	2891.1	3.1
805	2905.8	2.9
810	2919.6	2.8
815	2932.8	2.6
820	2945.3	2.5
825	2957.0	2.4
830	2968.0	2.2
835	2978.2	2.0
840	2987.8	1.9
845	2996.6	1.8
850	3004.6	1.6
855	3011.9	1.4
860	3018.3	1.3
865	3024.1	1.2
870	3029.1	1.0
875	3033.4	0.9
880	3036.8	0.7
885	3039.5	0.5
890	3041.4	0.4
895	3042.6	0.2
900	3043.0	0.1


Izmeril: Bojan Huzjan, Dare Kavšek

Obdelal: Igor Lengar

# PULZNA PALICA

SRED 199


Datum meritve: 29.11.2012



# VARNOSTNA PALICA


SRED 199

Datum meritve: 29.11.2012



SRED 199  
Datum meritve: 29.11.2012

# REGULACIJSKA PALICA



SRED 199  
Datum meritve: 29.11.2012

### KOMPENZACIJSKA PALICA

