

VREDNOSTI PULZNE PALICE NA POSAMEZNIH POZICIJAH

| Korak | Vred./pcm |
|-------|-----------|
| 0 | 0 |
| 5 | . 0 |
| 10 | 0.2 |
| 15 | 0.4 |
| 20 | 0.6 |
| 25 | 1 |
| 30 | 1.5 |
| 35 | 2 |
| 40 | 2.7 |
| 45 | 3.5 |
| 50 | 4.3 |
| 55 | 5.3 |
| 60 | 6.3 |
| 65 | 7.5 |
| 70 | 8.8 |
| 75 | 10.2 |
| 80 | 11.8 |
| 85 | 13.5 |
| 90 | 15.3 |
| 95 | 17.3 |
| 100 | 19.4 |
| 105 | 21.7 |
| 110 | 24.2 |
| 115 | 26.9 |
| 120 | 29.7 |
| 125 | 32.7 |
| 130 | 35.9 |
| 135 | 39.4 |
| 140 | 43 |
| 145 | 46.8 |
| 150 | 51 |
| 155 | 55.3 |
| 160 | 59.9 |
| 165 | 64.7 |
| 170 | 69.9 |
| 175 | 75.3 |
| 180 | 80.9 |
| 185 | 86.9 |
| 190 | 93.2 |
| 195 | 99.7 |
| 200 | 106.5 |
| 205 | 113.7 |
| 210 | 121.3 |
| 215 | 129.1 |
| 220 | 137.2 |

| Korak | Vred./pcm |
|-------|-----------|
| 225 | 145.8 |
| 230 | 154.6 |
| 235 | 163.7 |
| 240 | 173.3 |
| 245 | 183.6 |
| 250 | 194 |
| 255 | 204.3 |
| 260 | 215.3 |
| 265 | 226.7 |
| 270 | 238.4 |
| 275 | 250.6 |
| 280 | 263.2 |
| 285 | 276.1 |
| 290 | 289.4 |
| 295 | 303.1 |
| 300 | 317.2 |
| 305 | 331.6 |
| 310 | 346.5 |
| 315 | 361.8 |
| 320 | 377.4 |
| 325 | 393.3 |
| 330 | 409.7 |
| 335 | 426.5 |
| 340 | 443.5 |
| 345 | 461 |
| 350 | 478.9 |
| 355 | 497.1 |
| 360 | 515.6 |
| 365 | 534.5 |
| 370 | 553.8 |
| 375 | 573.3 |
| 380 | 593.1 |
| 385 | 613.4 |
| 390 | 634 |
| 395 | 654.8 |
| 400 | 675.9 |
| 405 | 697.4 |
| 410 | 719.1 |
| 415 | 741.1 |
| 420 | 763.3 |
| 425 | 785.9 |
| 430 | 808.6 |
| 435 | 831.6 |
| 440 | 854.9 |
| 445 | 878.3 |

| Korak | Vred./pcm |
|-------|-----------|
| 450 | 901.9 |
| 455 | 925.8 |
| 460 | 949.9 |
| 465 | 974.1 |
| 470 | 998.5 |
| 475 | 1023.1 |
| 480 | 1047.8 |
| 485 | 1072.6 |
| 490 | 1097.6 |
| 495 | 1122.6 |
| 500 | 1147.8 |
| 505 | 1173 |
| 510 | 1198.4 |
| 515 | 1223.8 |
| 520 | 1249.2 |
| 525 | 1274.7 |
| 530 | 1300.3 |
| 535 | 1325.8 |
| 540 | 1351.4 |
| 545 | 1377 |
| 550 | 1402.5 |
| 555 | 1428 |
| 560 | 1453.5 |
| 565 | 1478.9 |
| 570 | 1504.3 |
| 575 | 1529.6 |
| 580 | 1554.8 |
| 585 | 1579.9 |
| 590 | 1604.9 |
| 595 | 1629.9 |
| 600 | 1654.6 |
| 605 | 1679.2 |
| 610 | 1703.7 |
| 615 | 1728 |
| 620 | 1752.1 |
| 625 | 1776.1 |
| 630 | 1799.9 |
| 635 | 1823.4 |
| 640 | 1846.7 |
| 645 | 1869.8 |
| 650 | 1892.7 |
| 655 | 1915.3 |
| 660 | 1937.6 |
| 665 | 1959.7 |
| 670 | 1981.5 |


| Korak | Vred./pcm |
|-------|-----------|
| 675 | 2003 |
| 680 | 2024.2 |
| 685 | 2045.1 |
| 690 | 2065.6 |
| 695 | 2085.8 |
| 700 | 2105.7 |
| 705 | 2125.3 |
| 710 | 2144.4 |
| 715 | 2163.2 |
| 720 | 2181.7 |
| 725 | 2199.7 |
| 730 | 2217.4 |
| 735 | 2234.6 |
| 740 | 2251.5 |
| 745 | 2267.8 |
| 750 | 2283.7 |
| 755 | 2299.3 |
| 760 | 2314.4 |
| 765 | 2329 |
| 770 | 2343.1 |
| 775 | 2356.9 |
| 780 | 2370.1 |
| 785 | 2382.7 |
| 790 | 2395 |
| 795 | 2406.8 |
| 800 | 2418 |
| 805 | 2428.7 |
| 810 | 2438.9 |
| 815 | 2448.7 |
| 820 | 2457.8 |
| 825 | 2465.9 |
| 830 | 2473 |
| 835 | 2480.1 |
| 840 | 2487.1 |
| 845 | 2494.2 |
| 850 | 2501.3 |
| 855 | 2506.8 |
| 860 | 2511.7 |
| 865 | 2516 |
| 870 | 2519.7 |
| 875 | 2522.7 |
| 880 | 2525.3 |
| 885 | 2527.3 |
| 890 | 2528.7 |
| 895 | 2529.6 |
| 900 | 2530 |

Izmeril:

Pregledal:

SRED 181
Datum: 08.05.2003

PULZNA PALICA



PULZNA SREDICA 181

Ljubljana, 08.05.2003

VREDNOSTI VARNOSTNE PALICE NA POSAMEZNIH POZICIJAH

| Korak | Vred./pcm |
|-------|-----------|
| 200 | 0 |
| 205 | 0.3 |
| 210 | 1.4 |
| 215 | 3.1 |
| 220 | 5.6 |
| 225 | 8.7 |
| 230 | 12.5 |
| 235 | 17.1 |
| 240 | 22.3 |
| 245 | 28.2 |
| 250 | 34.8 |
| 255 | 42.2 |
| 260 | 50.2 |
| 265 | 58.9 |
| 270 | 68.3 |
| 275 | 78.4 |
| 280 | 89.3 |
| 285 | 100.8 |
| 290 | 113 |
| 295 | 125.8 |
| 300 | 139.5 |
| 305 | 153.8 |
| 310 | 168.7 |
| 315 | 184.6 |
| 320 | 200.7 |
| 325 | 217.8 |
| 330 | 235.6 |
| 335 | 254 |
| 340 | 273.1 |
| 345 | 292.8 |
| 350 | 313.3 |
| 355 | 334.5 |
| 360 | 356.3 |
| 365 | 378.8 |
| 370 | 401.9 |

| Korak | Vred./pcm |
|-------|-----------|
| 375 | 425.8 |
| 380 | 450.3 |
| 385 | 475.4 |
| 390 | 501.2 |
| 395 | 527.6 |
| 400 | 554.7 |
| 405 | 582.4 |
| 410 | 610.7 |
| 415 | 639.6 |
| 420 | 669.2 |
| 425 | 699.3 |
| 430 | 730.1 |
| 435 | 761.4 |
| 440 | 793.3 |
| 445 | 825.8 |
| 450 | 858.8 |
| 455 | 892.4 |
| 460 | 926.5 |
| 465 | 961.1 |
| 470 | 996.3 |
| 475 | 1031.9 |
| 480 | 1068 |
| 485 | 1104.6 |
| 490 | 1141.6 |
| 495 | 1179.2 |
| 500 | 1217.1 |
| 505 | 1255.4 |
| 510 | 1294.1 |
| 515 | 1333.2 |
| 520 | 1372.6 |
| 525 | 1412.4 |
| 530 | 1452.5 |
| 535 | 1492.9 |
| 540 | 1533.6 |
| 545 | 1574.6 |

| Korak | Vred./pcm |
|-------|-----------|
| 550 | 1615.8 |
| 555 | 1657.2 |
| 560 | 1698.8 |
| 565 | 1740.6 |
| 570 | 1782.5 |
| 575 | 1824.6 |
| 580 | 1866.8 |
| 585 | 1909.1 |
| 590 | 1951.4 |
| 595 | 1993.8 |
| 600 | 2036.2 |
| 605 | 2078.5 |
| 610 | 2120.9 |
| 615 | 2163.2 |
| 620 | 2205.3 |
| 625 | 2247.4 |
| 630 | 2289.4 |
| 635 | 2331.2 |
| 640 | 2372.7 |
| 645 | 2414.1 |
| 650 | 2455 |
| 655 | 2495.7 |
| 660 | 2536.3 |
| 665 | 2576.9 |
| 670 | 2616.8 |
| 675 | 2656.3 |
| 680 | 2695.4 |
| 685 | 2734.1 |
| 690 | 2772.3 |
| 695 | 2810 |
| 700 | 2847.3 |
| 705 | 2884 |
| 710 | 2920.1 |
| 715 | 2955.7 |
| 720 | 2990.6 |


| Korak | Vred./pcm |
|-------|-----------|
| 725 | 3024.9 |
| 730 | 3058.6 |
| 735 | 3091.6 |
| 740 | 3123.8 |
| 745 | 3155.3 |
| 750 | 3186.1 |
| 755 | 3216.2 |
| 760 | 3245.4 |
| 765 | 3273.7 |
| 770 | 3301.3 |
| 775 | 3328 |
| 780 | 3353.9 |
| 785 | 3378.7 |
| 790 | 3402.7 |
| 795 | 3425.8 |
| 800 | 3447.9 |
| 805 | 3469.1 |
| 810 | 3489.2 |
| 815 | 3508.3 |
| 820 | 3526.5 |
| 825 | 3543.6 |
| 830 | 3559.7 |
| 835 | 3574.7 |
| 840 | 3588.6 |
| 845 | 3601.5 |
| 850 | 3613.3 |
| 855 | 3624 |
| 860 | 3633.6 |
| 865 | 3642 |
| 870 | 3649.4 |
| 875 | 3655.7 |
| 880 | 3660.8 |
| 885 | 3664.7 |
| 890 | 3667.6 |
| 895 | 3669.3 |
| 900 | 3670 |

Izmeril:

Pregledal:

VARNOSTNA PALICA

SRED 181
Datum: 08.05.2003



PULZNA SREDICA 181

Ljubljana, 08.05.2003

VREDNOSTI KOMPENZACIJSKE PALICE NA POSAMEZNIH POZICIJ

| Korak | Vred./pcm |
|-------|-----------|
| 200 | 0 |
| 205 | 0.3 |
| 210 | 1.2 |
| 215 | 2.6 |
| 220 | 4.6 |
| 225 | 7.3 |
| 230 | 10.5 |
| 235 | 14.3 |
| 240 | 18.6 |
| 245 | 23.6 |
| 250 | 29.1 |
| 255 | 35.3 |
| 260 | 42 |
| 265 | 49.3 |
| 270 | 57.2 |
| 275 | 65.7 |
| 280 | 74.8 |
| 285 | 84.4 |
| 290 | 94.7 |
| 295 | 105.6 |
| 300 | 117.1 |
| 305 | 129.1 |
| 310 | 141.7 |
| 315 | 155 |
| 320 | 168.8 |
| 325 | 183.3 |
| 330 | 198.3 |
| 335 | 213.9 |
| 340 | 230.3 |
| 345 | 246.9 |
| 350 | 264.3 |
| 355 | 282.3 |
| 360 | 300.8 |
| 365 | 320 |
| 370 | 339.8 |

| Korak | Vred./pcm |
|-------|-----------|
| 375 | 360.1 |
| 380 | 380.9 |
| 385 | 402.4 |
| 390 | 424.4 |
| 395 | 447 |
| 400 | 470.1 |
| 405 | 493.8 |
| 410 | 518 |
| 415 | 542.7 |
| 420 | 568 |
| 425 | 593.7 |
| 430 | 620 |
| 435 | 646.8 |
| 440 | 674.1 |
| 445 | 701.8 |
| 450 | 729.9 |
| 455 | 758.6 |
| 460 | 787.7 |
| 465 | 817.2 |
| 470 | 847 |
| 475 | 877.3 |
| 480 | 908 |
| 485 | 939.1 |
| 490 | 970.4 |
| 495 | 1002.2 |
| 500 | 1034.2 |
| 505 | 1066.5 |
| 510 | 1099.2 |
| 515 | 1132 |
| 520 | 1165.1 |
| 525 | 1198.5 |
| 530 | 1232 |
| 535 | 1265.8 |
| 540 | 1299.7 |
| 545 | 1333.7 |

| Korak | Vred./pcm |
|-------|-----------|
| 550 | 1367.9 |
| 555 | 1402.1 |
| 560 | 1436.5 |
| 565 | 1470.9 |
| 570 | 1505.3 |
| 575 | 1539.8 |
| 580 | 1574.3 |
| 585 | 1608.7 |
| 590 | 1643.1 |
| 595 | 1677.4 |
| 600 | 1711.6 |
| 605 | 1745.8 |
| 610 | 1779.7 |
| 615 | 1813.6 |
| 620 | 1847.2 |
| 625 | 1880.7 |
| 630 | 1913.9 |
| 635 | 1946.9 |
| 640 | 1979.6 |
| 645 | 2012.1 |
| 650 | 2044.2 |
| 655 | 2076.1 |
| 660 | 2107.5 |
| 665 | 2138.7 |
| 670 | 2169.4 |
| 675 | 2199.8 |
| 680 | 2229.6 |
| 685 | 2258.7 |
| 690 | 2287.7 |
| 695 | 2316.8 |
| 700 | 2345 |
| 705 | 2372.6 |
| 710 | 2399.7 |
| 715 | 2426.3 |
| 720 | 2452.3 |


| Korak | Vred./pcm |
|-------|-----------|
| 725 | 2477.8 |
| 730 | 2502.6 |
| 735 | 2526.9 |
| 740 | 2550.7 |
| 745 | 2573.8 |
| 750 | 2596.2 |
| 755 | 2618.1 |
| 760 | 2639.3 |
| 765 | 2659.8 |
| 770 | 2679.7 |
| 775 | 2698.9 |
| 780 | 2717.4 |
| 785 | 2735.2 |
| 790 | 2752.3 |
| 795 | 2768.7 |
| 800 | 2784.4 |
| 805 | 2799.4 |
| 810 | 2813.7 |
| 815 | 2827.2 |
| 820 | 2839.9 |
| 825 | 2851.9 |
| 830 | 2863.2 |
| 835 | 2873.8 |
| 840 | 2883.5 |
| 845 | 2892.4 |
| 850 | 2900.7 |
| 855 | 2908.1 |
| 860 | 2914.8 |
| 865 | 2920.6 |
| 870 | 2925.7 |
| 875 | 2930.1 |
| 880 | 2933.7 |
| 885 | 2936.4 |
| 890 | 2938.3 |
| 895 | 2939.5 |
| 900 | 2940 |

Izmeril:

Pregledal:

SRED 181
Datum: 08.05.2003

KOMPENZACIJSKA PALICA



VREDNOSTI REGULACIJSKE PALICE NA POSAMEZNIH POZICIJAH

| Korak | Vred./pcm |
|-------|-----------|
| 200 | 0 |
| 205 | 0.2 |
| 210 | 0.8 |
| 215 | 1.8 |
| 220 | 3.2 |
| 225 | 5 |
| 230 | 7.2 |
| 235 | 9.8 |
| 240 | 12.8 |
| 245 | 16.3 |
| 250 | 20.1 |
| 255 | 24.4 |
| 260 | 29.1 |
| 265 | 34.2 |
| 270 | 39.8 |
| 275 | 45.8 |
| 280 | 52.3 |
| 285 | 59.2 |
| 290 | 66.5 |
| 295 | 74.3 |
| 300 | 82.6 |
| 305 | 91.4 |
| 310 | 100.6 |
| 315 | 110.3 |
| 320 | 120.4 |
| 325 | 131.1 |
| 330 | 142.2 |
| 335 | 153.9 |
| 340 | 166 |
| 345 | 178.6 |
| 350 | 191.7 |
| 355 | 205.3 |
| 360 | 219.3 |
| 365 | 233.9 |
| 370 | 248.9 |

| Korak | Vred./pcm |
|-------|-----------|
| 375 | 264.5 |
| 380 | 280.5 |
| 385 | 297 |
| 390 | 313.9 |
| 395 | 331.4 |
| 400 | 349.3 |
| 405 | 367.6 |
| 410 | 386.4 |
| 415 | 405.6 |
| 420 | 425.2 |
| 425 | 445.3 |
| 430 | 465.7 |
| 435 | 486.6 |
| 440 | 507.8 |
| 445 | 529.5 |
| 450 | 551.4 |
| 455 | 573.8 |
| 460 | 596.4 |
| 465 | 619.4 |
| 470 | 642.7 |
| 475 | 666.3 |
| 480 | 690.2 |
| 485 | 714.4 |
| 490 | 738.8 |
| 495 | 763.5 |
| 500 | 788.4 |
| 505 | 813.5 |
| 510 | 838.9 |
| 515 | 864.4 |
| 520 | 890.1 |
| 525 | 916 |
| 530 | 942 |
| 535 | 968.2 |
| 540 | 994.5 |
| 545 | 1021 |

| Korak | Vred./pcm |
|-------|-----------|
| 550 | 1047.6 |
| 555 | 1074.3 |
| 560 | 1101 |
| 565 | 1127.9 |
| 570 | 1154.8 |
| 575 | 1181.8 |
| 580 | 1208.9 |
| 585 | 1236 |
| 590 | 1263.2 |
| 595 | 1290.4 |
| 600 | 1317.6 |
| 605 | 1344.8 |
| 610 | 1372 |
| 615 | 1399.2 |
| 620 | 1426.5 |
| 625 | 1453.7 |
| 630 | 1480.8 |
| 635 | 1508 |
| 640 | 1535.1 |
| 645 | 1562.1 |
| 650 | 1589.1 |
| 655 | 1616 |
| 660 | 1642.8 |
| 665 | 1669.5 |
| 670 | 1696 |
| 675 | 1722.5 |
| 680 | 1748.8 |
| 685 | 1775 |
| 690 | 1801 |
| 695 | 1826.8 |
| 700 | 1852.4 |
| 705 | 1877.8 |
| 710 | 1903 |
| 715 | 1927.9 |
| 720 | 1952.5 |

| Korak | Vred./pcm |
|-------|-----------|
| 725 | 1976.8 |
| 730 | 2000.9 |
| 735 | 2024.6 |
| 740 | 2047.9 |
| 745 | 2070.8 |
| 750 | 2093.4 |
| 755 | 2115.5 |
| 760 | 2137.2 |
| 765 | 2158.4 |
| 770 | 2179.1 |
| 775 | 2199.3 |
| 780 | 2218.9 |
| 785 | 2238 |
| 790 | 2256.5 |
| 795 | 2274.4 |
| 800 | 2291.6 |
| 805 | 2308.1 |
| 810 | 2324 |
| 815 | 2339.2 |
| 820 | 2353.6 |
| 825 | 2367.2 |
| 830 | 2380.1 |
| 835 | 2392.2 |
| 840 | 2403.5 |
| 845 | 2413.9 |
| 850 | 2423.5 |
| 855 | 2432.2 |
| 860 | 2440.1 |
| 865 | 2447 |
| 870 | 2453.1 |
| 875 | 2458.2 |
| 880 | 2462.4 |
| 885 | 2465.7 |
| 890 | 2468.1 |
| 895 | 2469.5 |
| 900 | 2470 |

Izmeril:

Pregledal:

SRED 181
Datum:08.05.2003

REGULACIJSKA PALICA

